

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AlA: Altvan-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
AlB: Altvan-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
AnB: Arvada-----	90	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability Slope	1.00 0.50 0.45 0.12
ArB: Arvada-----	55	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability Slope	1.00 0.50 0.45 0.12
Slickspots, Dry----	30	Not rated		Not rated		Not rated	
AsB: Assinniboine-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
Ba: Bankard-----	85	Very limited Flooding Dusty	1.00 0.50	Somewhat limited Dusty Flooding	0.50 0.40	Very limited Flooding Dusty	1.00 0.50
B1D: Blackpipe-----	80	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
BsD: Blackpipe-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope	1.00

SD-NRCS- JULY 2002

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Shingle-----	30	Very limited Depth to bedrock Dusty Slope	1.00 0.50 0.37	Very limited Depth to bedrock Dusty Slope	1.00 0.50 0.37	Dusty Depth to bedrock Very limited Slope Depth to bedrock Dusty Gravel content	0.50 0.42 1.00 1.00 0.50 0.04
CaE: Cabbart-----	85	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50
CbD: Canyon-----	50	Very limited Depth to bedrock Dusty Slope Restricted permeability	1.00 0.50 0.37 0.05	Very limited Depth to bedrock Dusty Slope Restricted permeability	1.00 0.50 0.37 0.05	Very limited Slope Depth to bedrock Dusty Gravel content Restricted permeability	1.00 1.00 0.50 0.18 0.05
Bridget-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
CdE: Canyon-----	50	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.05	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.05	Very limited Slope Depth to bedrock Dusty Gravel content Restricted permeability	1.00 1.00 0.50 0.18 0.05
Butche-----	25	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty Content of large stones	1.00 1.00 0.50 0.11
CtE: Citadel-----	70	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

SD-NRCS- JULY 2002

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.60	Restricted permeability	0.60	Restricted permeability	0.60
DaD: Delridge-----	85	Somewhat limited Dusty Slope	0.50 0.37	Somewhat limited Dusty Slope	0.50 0.37	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
EaD: Enning-----	50	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.84 0.44	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.84 0.44	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.44
Manvel-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
EbE: Enning-----	65	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.44	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.44	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.44
Rock Outcrop, Soft--	25	Not rated		Not rated		Not rated	
Ga: Glenberg-----	90	Very limited Flooding	1.00	Not limited		Not limited	
GbD: Grummit-----	90	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.37	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.37	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50
GcE: Grummit-----	50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop, Acid--	30	Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Not rated		Not rated		Not rated	
HbB: Hisle-----	60	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability Depth to bedrock Slope	1.00 0.50 0.45 0.42 0.12
Slickspots, Dry----	30	Not rated		Not rated		Not rated	
Ho: Hoven-----	90	Very limited Depth to saturated zone Restricted permeability Sodium content Ponding	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Sodium content Ponding	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Sodium content Ponding	1.00 1.00 1.00 1.00
KaA: Keith-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
KaB: Keith-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
KbA: Kyle-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KbB: Kyle-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Slope Too clayey  Restricted permeability	0.50 0.50  0.45
KcB: Kyle-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Slope Too clayey  Restricted permeability	0.50 0.50  0.45
LaD: Lakoa-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Maitland-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LbE: Lismas-----	80	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.45	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.45	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.45
LcD: Lismas-----	50	Very limited Depth to bedrock Too clayey Restricted permeability Slope	1.00 0.50 0.45 0.37	Very limited Depth to bedrock Too clayey Restricted permeability Slope	1.00 0.50 0.45 0.37	Very limited Slope Depth to bedrock Too clayey  Restricted permeability	1.00 1.00 0.50  0.45
Winler-----	30	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.45 0.37	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.45 0.37	Very limited Slope Too clayey  Restricted permeability Depth to bedrock	1.00 0.50  0.45 0.42

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Le: Lohmiller-----	85	Very limited Flooding  Restricted permeability	1.00  0.05	Somewhat limited Restricted permeability	0.05	Somewhat limited Restricted permeability	0.05
Lh: Glenberg-----	40	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Lohmiller-----	40	Very limited Flooding  Restricted permeability	1.00  0.05	Somewhat limited Restricted permeability	0.05	Somewhat limited Flooding  Restricted permeability	0.60  0.05
Ma: Macken-----	90	Very limited Depth to saturated zone Too clayey Ponding Restricted permeability	1.00  1.00 1.00 0.94	Very limited Depth to saturated zone Too clayey Ponding Restricted permeability	1.00  1.00 1.00 0.94	Very limited Depth to saturated zone Too clayey Ponding Restricted permeability	1.00  1.00 1.00 0.94
MbB: Manvel-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
McB: Marshbrook-----	50	Very limited Depth to saturated zone Flooding  Restricted permeability	1.00  1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00  0.15	Very limited Depth to saturated zone Slope  Flooding  Restricted permeability	1.00  1.00  0.60  0.15
Cordeston-----	40	Very limited Flooding	1.00	Not limited		Very limited Slope	1.00
MdD: Midway-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00

SD-NRCS- JULY 2002

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Blackpipe-----	30	Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
						Gravel content	0.06
		Somewhat limited Slope Dusty	0.63 0.50	Somewhat limited Slope Dusty	0.63 0.50	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
NaD: Nevee-----	60	Somewhat limited Slope Dusty	0.63 0.50	Somewhat limited Slope Dusty	0.63 0.50	Very limited Slope Dusty	1.00 0.50
Spearfish-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Dusty	0.50	Dusty	0.50	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Dusty	0.50
NbE: Nihill-----	75	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Gravel content Dusty Content of large stones	1.00 1.00 0.50 0.01
NcA: Nunn-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability Gravel content	0.39 0.04
NcB: Nunn-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope	0.50
						Restricted permeability	0.39
						Gravel content	0.04
NcC: Nunn-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Very limited Slope	1.00
						Restricted permeability	0.39
						Gravel content	0.04

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OaA: Onita-----	85	Not limited		Not limited		Not limited	
PaE: Paunsaugunt-----	45	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.75	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.75	Very limited Gravel content Slope Depth to bedrock	1.00 1.00 1.00
Rock Outcrop, Sandy-	30	Not rated		Not rated		Not rated	
PbB: Pierre-----	90	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Slope Too clayey  Restricted permeability Depth to bedrock	0.50 0.50  0.45 0.42
PbC: Pierre-----	85	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.45	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.45	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.45 0.42
SaE: Samsil-----	75	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39
SbD: Samsil-----	45	Very limited Depth to bedrock Too clayey Restricted permeability Slope	1.00 0.50 0.39 0.37	Very limited Depth to bedrock Too clayey Restricted permeability Slope	1.00 0.50 0.39 0.37	Very limited Slope Depth to bedrock Too clayey  Restricted permeability	1.00 1.00 0.50  0.39



Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pierre-----	30	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.45  0.37	Somewhat limited Too clayey Restricted permeability Slope	0.50 0.45  0.37	Very limited Slope Too clayey  Restricted permeability Depth to bedrock	1.00 0.50  0.45 0.42
ScE: Samsil-----	50	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39
Rock Outcrop, Soft--	30	Not rated		Not rated		Not rated	
SdA: Satanta-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
SdB: Satanta-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
SdC: Satanta-----	80	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty	1.00 0.50
SeA: Satanta-----	55	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Beckton-----	30	Very limited Sodium content Dusty Restricted permeability Salinity	1.00 0.50 0.39 0.01	Very limited Sodium content Dusty Restricted permeability Salinity	1.00 0.50 0.39 0.01	Very limited Sodium content Dusty Restricted permeability Gravel content Salinity	1.00 0.50 0.39 0.22 0.01

SD-NRCS- JULY 2002

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShA: Savo-----	85	Not limited		Not limited		Not limited	
SkB: Blackpipe-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty Depth to bedrock	0.50 0.50 0.42
Savo-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
SLE: Spearfish-----	55	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50
Rock Outcrop, Sandstone-----	20	Not rated		Not rated		Not rated	
So: St. Onge-----	80	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
St: Stetter-----	80	Very limited Flooding Too clayey  Restricted permeability	1.00 0.50  0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Flooding Too clayey  Restricted permeability	0.60 0.50  0.39
SwB: Swanboy-----	80	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Slope Too clayey  Restricted permeability	0.50 0.50  0.45
SyB: Swanboy-----	55	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Slickspots, Dry-----	35	Restricted permeability Not rated	0.45	Restricted permeability Not rated	0.45	Restricted permeability Not rated	0.45
TaA: Tilford-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
TaB: Tilford-----	80	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
VaE: Vanocker-----	40	Very limited Slope Gravel content	1.00 0.09	Very limited Slope Gravel content	1.00 0.09	Very limited Slope Gravel content Content of large stones	1.00 1.00 0.20
Citadel-----	35	Very limited Slope Restricted permeability	1.00 0.60	Very limited Slope Restricted permeability	1.00 0.60	Very limited Slope Restricted permeability	1.00 0.60
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Wa: Winetti-----	80	Very limited Flooding Gravel content	1.00 0.32	Somewhat limited Gravel content	0.32	Very limited Gravel content Slope	1.00 0.50
WbC: Winler-----	80	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.45

SD-NRCS- JULY 2002

Recreation Table 1  
Meade County, South Dakota,  
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WcB: Winler-----	55	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Depth to bedrock	0.42
						Somewhat limited Slope	0.50
						Too clayey	0.50
						Restricted permeability	0.45
						Depth to bedrock	0.42
Swanboy-----	35	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited Too clayey	0.50
						Restricted permeability	0.45
						Slope	0.12
ww: Water (greater Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
ZaD: Zigweid-----	50	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Nihill-----	25	Somewhat limited Dusty Slope Gravel content	0.50 0.37 0.33	Somewhat limited Dusty Slope Gravel content	0.50 0.37 0.33	Very limited Slope	1.00
						Gravel content	1.00
						Dusty	0.50
						Content of large stones	0.01